



RENTAL SOLUTIONS

GENERATORS | TOWER LIGHTS | PUMPS | DISTRIBUTION
BATTERY ENERGY STORAGE SYSTEMS | HYBRID | FUEL TANKS



www.stuartpower.co.uk

01953 454540



Stuart Power is a premier generator hire company with over four decades of experience.

Our extensive range of generators, pumps and lighting towers is supported by a team of experts ready to provide tailored solutions to suit your needs.

We offer environmentally sustainable options such as battery energy storage systems, hybrid generators, pumps and lighting, along with comprehensive support services like site surveys, remote monitoring, and fuel management.

40
years

Expertise

- ✓ Over 40 years' experience
- ✓ Expert advice



Nationwide Depots

- ✓ Fast delivery
- ✓ Local stock
- ✓ 4 depots



Net Zero Targets

- ✓ Low emissions range
- ✓ Carbon reporting
- ✓ Alternative fuels

1,000
units available

Power Fleet

- ✓ 188 MVA in stock
- ✓ Stock available when you need it

Contents

	Page
Generators	4 - 7
IBESS	8 - 9
Hybrid	10 - 11
Site Secure	12 - 13
Towable	14 - 15
Tower Lights	16 - 17
Fuel Tanks	18 - 19
Distribution	20 - 23
Services	24 - 25
Pumps	26 - 31
Industries	32 - 38
Why Choose Us?	39

GENERATOR HIRE

With over 40 years of experience, our team of experts is ready to provide tailored solutions for your temporary power needs.

We supply a wide range of high-performance generators from market leaders such as FG Wilson and Pramac.

Engineered for fuel efficiency and effortless operation, our generators are housed in robust, weatherproof, sound-attenuated enclosures to ensure outstanding noise reduction in any environment.

Thanks to our ongoing investment in a modern, versatile rental fleet, you can count on us to have the right solution exactly when you need it.

To make things even easier, our experienced delivery drivers provide clear, step-by-step guidance on operation and can support with on-site setup and installation if required.



Key Features



Forklift pockets



Adjustable earth leakage*



Emergency stop on control panel and enclosure



Quick-release fuel connections



Sound-attenuated enclosure



Bunded fuel tank with 110% spill containment

*Not available on 20 kVA

Prime (kVA)	Length (mm)	Width (mm)	Height (mm)	Weight Dry (kg)	Fuel Consumption			Running Time			Sound 7m@100% (dBA)
					@50% (l/hr)	@75% (l/hr)	@100% (l/hr)	@50% (hr)	@75% (hr)	@100% (hr)	
20	1685	950	1485	730	3	4	5.3	18	13	8	65
30	2102	970	1630	1002	4	5.7	7.4	40	28	21.5	65
65	2300	1120	1630	1319	7.8	12.3	16.3	28	17.5	13	64
100	2770	1120	1847	2027	14.6	20.4	23.5	28	20	17	67
150	3520	1120	1920	2158	19.9	28.1	33.5	17.5	12	10	66
200	3894	1300	2101	2944	26.8	37.6	48.7	20.5	14.5	11	66
275	4065	1400	2124	3880	33.8	47.3	62.5	18.5	13	10	66
400	4930	1658	2422	4655	36.2	53	69.6	24.5	16.5	12.5	69
450	4930	1658	2422	4667	50.3	70.2	89.1	17.5	12.5	9.5	69
550	4930	1658	2422	5230	58.7	80.7	104	15	10.5	8.5	69
800	5894	2335	2775	7773	67.8	101.7	135	21	14	10.5	80
1000	6100	2440	2590	17300	153	206	225	14	10	8	80
1250	6055	2434	2896	17300	139	199	261	14	10	7.5	75
1850	12200	2440	2890	29500	234	344	372	21	14	10.7	78

*Information in this table is indicative only. Based on 50 Hz

Applications:



CONSTRUCTION



UTILITIES



WASTE & RECYCLING



ELECTRICAL



EVENTS



LOGISTICS & TRANSPORT

“Stuart Power were so helpful in getting a generator to suit my needs, delivering on time and making sure they were on hand to help with any issues. They were flexible and communicative, and the engineering team were great. Overall they were great and helped me move my business to the next level!”

*Greg Moody
Bristol Sauna Project*



STAGE V GENERATOR HIRE

Stage V is a “green” initiative, aiming to reduce the pollutants emitted by engines. Our Stage V generators are expertly engineered to meet the latest, most stringent emissions standards without compromising on performance.

These advanced units represent the cleanest and most efficient diesel generators available for temporary power, delivering dependable energy while significantly reducing environmental impact.

Housed in high-quality, sound-attenuated enclosures, they offer exceptional noise reduction, making them ideal for residential projects and any application where quiet operation is essential.

From construction sites and live events to critical backup power, our Stage V generators combine efficiency, reliability and full regulatory compliance. Speak with our team to find a rental solution tailored to your requirements.

Key Features



Reduced emissions



EU Stage V compliant



Remote monitoring



Sound-attenuated enclosure



Bunded fuel tank with 110% spill containment



HVO fuel compatibility



FG Wilson

Prime (kVA)	Length (mm)	Width (mm)	Height (mm)	Weight Dry (kg)	Fuel Consumption			Running Time			Sound 7m@100% (dBA)
					@50% (l/hr)	@75% (l/hr)	@100% (l/hr)	@50% (hr)	@75% (hr)	@100% (hr)	
20	1718	918	1300	735	3	4	5.5	18.5	13	10	65
115	2970	1150	2076	2077	13.9	20.4	27.3	37	25	18.5	67
200	4085	1420	2367	3651	22.1	32.4	43.4	37	25	18.5	64
310	4085	1514	2277	4103	32.9	46.9	62.6	20	14	10.5	67
550	5420	2040	2434	6740	64.3	95.4	126.3	17	11.5	8.5	72

Pramac

Prime (kVA)	Length (mm)	Width (mm)	Height (mm)	Weight Dry (kg)	Fuel Consumption			Running Time			Sound 7m@100% (dBA)
					@50% (l/hr)	@75% (l/hr)	@100% (l/hr)	@50% (hr)	@75% (hr)	@100% (hr)	
20	1813	933	1400	745	3	3.9	5.5	40	30.5	21.5	60
45	2200	1020	1620	987	5.2	7.4	10.5	47	32.5	21.5	61
60	2402	1033	1830	1250	6.9	10.3	13.8	43	29	21.5	64
200	3460	1200	2050	3291	21	31.9	42.8	15.5	9.5	7	68
300	4165	1500	2130	4540	31.8	47.6	63.6	25	16.5	12.5	67

*Information in this table is indicative only.

Applications:



CONSTRUCTION



UTILITIES



FUEL EFFICIENT



LOW EMISSION
ZONE COMPLIANT



EVENTS



HEALTHCARE



MINING &
QUARRYING



AGRICULTURE



BATTERY ENERGY STORAGE SYSTEM

Stuart Power's fleet of Battery Energy Storage Systems (BESS) help reduce fuel costs, meet sustainability targets and reduce emissions.

Each unit offers remote monitoring and can operate in stand-alone or hybrid mode to suit your needs.

In stand-alone mode, the unit stores energy from multiple sources: generator, solar or the grid - allowing you to redistribute that power when and where it's needed most.

Switch to hybrid mode and the system manages fluctuating demand. During low-usage periods, e.g. overnight, the generator powers down while the battery takes over.

When demand increases or battery levels drop, the generator automatically restarts, ensuring uninterrupted power.



Key Benefits



Measure and understand site power usage



Manage power to reduce usage



Reduced noise



Record fault events to aid maintenance




Reduced emissions



Aids carbon reporting

Size kVA	Storage kW/h	Length (mm)	Width (mm)	Height (mm)	Weight Dry (kg)	Battery Type
30	50	1105	1069	1737	1090	Li-ion LFP
45	80	2240	1160	2118	2000	Li-ion LFP
90	150	2740	1160	2118	3000	Li-ion LFP



*Information in this table is indicative only

Applications:



FILM & TV



UTILITIES



EVENTS



LOGISTICS & TRANSPORT



CONSTRUCTION



AGRICULTURE



HYBRID POWERSAFE™

The Hybrid PowerSafe™ combines all the benefits of hybrid power with the security of our SafeGen.

Expertly engineered, it delivers a compact, sound-attenuated solution that prioritises safety and security. Designed with environmental responsibility in mind, the unit is fully bunded, adding an extra layer of protection against potential spills.

The Hybrid PowerSafe™ offers a wide range of hybrid socket configurations for maximum flexibility. With an externally mounted mains distribution board and direct passthrough capability, the system can be adapted to support a broad variety of site setups and operational needs.



Key Features

-  Reduced emissions
-  Fuel efficient
-  Bunded fuel tank
-  Secure enclosure
-  Sound-attenuated enclosure
-  Reduction in run hours


Hybrid (kVA)	Gen (kVA)	Length (mm)	Width (mm)	Height (mm)	Weight Dry (kg)	Fuel Consumption			Running Time			Sound
						@50% (l/hr)	@75% (l/hr)	@100% (l/hr)	@50% (hr)	@75% (hr)	@100% (hr)	7m@75% (dBA)
30	65	3955	2438	2736	7560	8.1	12.1	16.6	74	49.5	36	66

*Information in this table is indicative only.

“Working with contractors such as yourself makes our job much easier. Your professionalism and support help enhance the event and enable us to deliver a successful show for our exhibitors and visitors alike.”

Gary Crellin
The Rutland County Show

Applications:



SITE SECURE GENERATOR HIRE

Lockable containerised generators are ideal when security is a concern. Engineered to withstand harsh conditions while protecting against weather, vandalism, and theft.

Available in 20ft, 30ft, and 40ft containers, these units combine ultra-quiet operation with high-level security. With built-in synchronisation capabilities, they can be scaled into multi-megawatt systems making them ideal for large, power-intensive sites.

Designed with both safety and sustainability in mind, each unit is fully bunded to provide environmental protection. Pre-mounted on trailers with integrated fuel tanks, our containerised generators are ready to deploy quickly and efficiently, ensuring reliable power wherever it's needed.





Key Features

-  Forklift pockets
-  Fuel efficient
-  Synchronisation for large operations
-  Secure enclosure
-  Sound-attenuated enclosure
-  Bunded fuel tank with 110% spill containment

Prime (kVA)	Length (mm)	Width (mm)	Height (mm)	Weight Dry (kg)	Fuel Consumption			Running Time		
					@50% (l/hr)	@75% (l/hr)	@100% (l/hr)	@50% (hr)	@75% (hr)	@100% (hr)
20	3050	2438	2591	4560	4	5.7	7.4	250	175	135
30	3050	2438	2591	4560	4	5.7	7.4	525	368	283
40	3050	2438	2591	4560	5.7	7.7	10.2	368	272.5	205.5
65	3050	2438	2591	4560	7.8	12.3	16.3	256	162.5	123
100	3050	2438	2591	5400	14.6	20.4	23.5	28	20	17

*Information in this table is indicative only.

Applications:



Safe and Secure

-  Four lockable door bars
- Heavy duty lock box
- Adjustable cable exits with securing pins
- Cable clamps and fill/vent pipes fitted with a heavy duty grill



TOWABLE GENERATOR HIRE

Our towable generators are easy to transport and move around your site. Ideal for remote and difficult to access locations.

Mounted on road-ready trailers, our canopied generators combine durability with quiet, fuel-efficient performance.

Ranging from 20 kVA to 150 kVA they deliver dependable energy while minimising emissions and noise.

Designed for rapid deployment, each unit is delivered ready to go, with transport options tailored to suit your site so you can get power where you need it, without delay.

Key Features

-  Reduced emissions
-  Fuel efficient
-  Highly mobile
-  Multiple outlets
-  Sound-attenuated enclosure
-  Bunded fuel tank with 110% spill containment



FG Wilson



Prime (kVA)	Length (mm)	Width (mm)	Height (mm)	Weight Dry (kg)	Fuel Consumption			Running Time			Sound 7m@100% (dBA)
					@50% (l/hr)	@75% (l/hr)	@100% (l/hr)	@50% (hr)	@75% (hr)	@100% (hr)	
20	1685	950	1485	730	3	4	5.3	18	13	8	65
40	2300	1120	1630	1293	5.8	7.5	9.2	37.5	29	23.5	67
65	2300	1120	1630	1319	7.8	12.3	16.3	28	17.5	13	64
100	2770	1120	1847	1744	12.9	18.9	23.8	19	13	10.5	67

Pramac Stage V

Prime (kVA)	Length (mm)	Width (mm)	Height (mm)	Weight Dry (kg)	Fuel Consumption			Running Time			Sound 7m@100% (dBA)
					@50% (l/hr)	@75% (l/hr)	@100% (l/hr)	@50% (hr)	@75% (hr)	@100% (hr)	
45	2200	1020	1620	987	5.2	7.4	10.5	47	32.5	21.5	61

*Information in this table is indicative only.

Applications:



“As usual a great service from yourself and the team, pass my thanks on to the lady from head office for taking the time on a weekend.”
Lee Mosey
Triton Project Solutions Ltd



TOWER LIGHT HIRE

Tower lights deliver powerful, mobile illumination to enhance visibility, improve on-site safety, and keep operations running longer - especially during the darker winter months.

All of our lighting towers are trailer-mounted for easy mobility and equipped with energy-efficient LED technology, providing instant, high-quality light wherever it's needed.

Each unit can illuminate up to 4,500m² and for larger areas, multiple towers can be linked together - allowing two units to run from a single engine for greater efficiency.



Key Features

 4 x 320W LED lights

 167 hours run time

 167,300 total lumens

 110 mph wind speed resistance


 Rapid lock stabilisers

 Programmable light timer

Power	Max Length (mm)	Max Width (mm)	Max Height (mm)	LED lamps	Illuminated Area (m ²)	Running Time (hr @ 100%)	Sound @75% (dBA @ 7m)
Diesel	2200	1850	8500	4 x 320W	4500	167	58

*Information in this table is indicative only.

Applications:



FUEL TANK HIRE

Our fuel storage tanks range from 1,000 to 64,000 litres. Available as IBCs and bunded steel tanks.

We also offer 950-litre AdBlue tanks, fully compatible with our Stage V generators.

Key features:

- Bunded polycube design for enhanced safety and environmental protection
- Durable galvanised steel frame with a robust polyethylene inner tank
- Stackable design: up to three units high empty, or two units high when full

For added convenience, ask about hiring a hand or electric pump with your fuel tank.



IBC Key Features

- ✓ Removable top for access to inner tank and cleaning
- ✓ Gas strut, lockable lid
- ✓ Forklift pockets & lifting eyes
- ✓ Stackable: three high empty two high full
- ✓ Bunded with 110% spill containment. PPG2 compliant
- ✓ Galvanised corner protectors

Litres	Type	Safe Fill (L)	Dimensions L x W x H (mm)	Weight Dry (kg)
1,000	IBC	950	1213 x 1213 x 1410	290
1,000	AdBlue	950	1213 x 1213 x 1410	290
2,000	IBC	1,900	2300 x 1150 x 1320	862
3,000	IBC	2,850	2300 x 1550 x 1320	991
6,000	Bulk storage tank	5,700	2991 x 2438 x 1320	1,750
30,000	Bulk storage tank	28,500	6700 x 2500 x 2900	5,770
64,000	Bulk storage tank	60,800	12192 x 2438 x 2896	15,000

*Information in this table is indicative only.

SMARTGUARD REMOTE FUEL MONITORING

SmartGuard is a cost-effective fuel tank level monitor. A submersible probe measures the fuel levels and wirelessly sends the data to your browser.

SMS and email alarms alert you if a tank's fuel level falls because of theft or a bad leak.

Applications:



CONSTRUCTION



UTILITIES



ELECTRICAL



LOGISTICS & TRANSPORT



MINING & QUARRYING



AGRICULTURE



POWER DISTRIBUTION

Our power distribution products range from the traditional black boxes, to our very own GEK lightweight orange distribution boxes.

Our electrical distribution boards are designed to support projects of any scale, with both single-phase and three-phase options available to ensure safe, reliable power distribution on site.

Built with safety at their core, they feature high-quality circuit protection through MCB and RCBO breakers helping to safeguard both your equipment and your workforce at all times.

Constructed from durable impact-resistant materials for demanding site conditions, our boards are available from 16 amp up to 3,200 amp, with customisable socket configurations to suit your specific requirements.



GEK Box



CE certified



Stackable



Weatherproof enclosure to IP44



Excellent circuit protection



Lightweight only 17kg

Description	In	Out	Dimensions D x W x H (mm)	Weight (kg)	IP Rating
GEK	125A 415V	1 x 63A 415V, 1 x 32A 415V 3 x 32A 230V, 9 x 16A 230V	570 x 570 x 685	20	44
DD125-1	125A 415V	3 x 63A 415V	420 x 598 x 490	30	67
DD125-2	125A 415V	1 x 63A 415V, 1 x 32A 415V 6 x 32A 230V, 6 x 16A 240V	420 x 598 x 660	64	67
DDJB-1	2 x sets of 3 phase 500A Powersafe	1 x set of 3 phase 800A Powersafe	420 x 575 x 360	22	67
DDPL-1	1 x set of 3 phase 800A Powersafe	3 x 125A 415V, 3 x 63A 415V, 12 x 32A 240V, 6 x 16A 240V	420 x 648 x 1510	107	67
DDPL-2	1 x set of 3 phase 800A Powersafe	4 x 125A 415V, 4 x 63A 415V, 6 x 32A 415V	420 x 648 x 1510	112	67

*Information in this table is indicative only.

TRANSFORMERS

Step-down 110 V site power transformers, available in ratings from 3 kVA to 20 kVA, fitted with 16 amp & 32 amp sockets and configured with either 240 V or 415 V input.



Step-up high voltage transformers are also available.

	In	Out	Dimensions D x W x H (mm)
415 to 110V step down transformer	32A 3 phase	2 x 32A 110V, 4 x 16A 110V	500 x 505 x 685
415 to 690V step up transformer	125A 3 phase	1 x 125A 690V	600 x 1000 x 800

*Information in this table is indicative only.

TRANSFER PANELS

Load transfer panels are housed within a robust metal frame, with lifting eye and forklift pockets for ease of site movement. For standby applications, in the event of a power failure the panel starts the backup generator and turns it off again when the mains power returns, providing seamless power.



Our Automatic Mains Failure and Automatic Transfer Switch panels range up to 3,200 amps.


POWER ACCESSORIES

A range of power accessories is available to hire 24/7. Our friendly team can help you decide what you need to complete your hire package.

Our electrical distribution and cabling rental equipment undergoes a rigorous test and inspection regime prior to despatch.

Other accessories include:

- Fencing
- Adaptors
- Spark arrestors
- Chalwyn valves
- Marechal-type sockets



H07RN-F RUBBER CABLE CURRENT CARRYING CAPACITY

Cable	Current Capacity (Amps)	Overall Diameter (mm)	Weight (kg/m)
2.5 mm 3 core 1ph	29	11.48	0.21
6 mm 3 core 1ph	52	14.78	0.39
16 mm 3 core 1ph	86	23.31	1.031
35 mm 3 core 1ph	140	30.2	1.907
2.5 mm 5 core 3ph	29	14	0.32
6 mm 5 core 3ph	52	18.2	0.63
16 mm 5 core 3ph	86	28.2	1.53
35 mm 5 core 3ph	140	37.2	3.59
35 mm single core	192	14.6	0.52
50 mm single core	240	17.2	0.72
70 mm single core	297	19.35	0.97
95 mm single core	354	22.2	1.24
120 mm single core	414	24.3	1.54
150 mm single core	476	25.9	1.89
185 mm single core	540	29.7	2.3
240 mm single core	645	31.5	2.94

The above technical data is for indicative purposes.
The information contained above is for guidance only and is subject to change without notice or liability.
All information is provided in good faith

CABLES & CABLE RAMPS

We have extensive stock of all types of cable, including plug and socket, powerlock cables, lug end, multi and single core cable. All our cable is H07RN-F double insulated, conforms to BS 7919, is flexible and can withstand harsh environmental conditions.



We also hire five-channel heavy duty cable ramps to protect cables from damage.

LOAD BANKS

Load banks test electrical equipment such as generators and UPS. Regular load bank testing burns off accumulated deposits and preserves engine performance.



Resistive and reactive load banks are available to hire from 20 kVA to 3,250 kVA and can include fully qualified personnel to conduct the test if required.

JUNCTION BOXES & LUGIT

Our compact junction boxes provide safe and secure connections. Suitable for 5 single core cables up to 240 mm.



LUGIT is a safe alternative to a junction box for single core cables up to 300 mm. It creates temporary IP67 connections (when assembled correctly) or extensions to single core power cables that are terminated with copper lug terminals.

ACOUSTIC PANELS

When noise is generated on site, the acoustic barrier membrane will absorb and reduce the degree of noise pollution.

The barriers are lightweight (6 kg) and flexible, allowing for simple and easy installation.

Up to 30dB in noise reduction.



SERVICES

Stuart Power supports you throughout the hire period, and that includes a full suite of on-site services designed to keep your project moving.

We understand that downtime isn't an option, which is why we provide a dedicated fuel management solution to keep your site running without interruption.

Our team handles everything—from supplying and installing remote telemetry units, ideal for unmanned or hard-to-reach locations, to monitoring fuel usage in real time.

With consumption tracked and deliveries scheduled proactively, we take the hassle out of on-site refuelling and ensure your generator stays powered when you need it most.



Fuel Management



Consolidated invoicing



Competitive pricing



SMS or email alarm warnings



Remote fuel level monitoring



ADR compliant



Frees up your time for key priorities

REMOTE MONITORING

Our in-house remote monitoring system uses the latest technology available. With app solutions you will be able to produce detailed reports, and set up and monitor alerts for your generators anytime, anywhere.

We also offer GPS tracking, giving you an additional layer of security.



SITE SURVEY & INSTALLATION

Our expert team visits your site to ensure that all pertinent information is gathered regarding power, pumping and lighting requirements, distances and locations.



SPECIALISED LOGISTICS

Our range of in-house transport solutions is ADR-compliant and FORS silver accredited. They include front and rear mounted cranes with lifting capacity from 23T/M to 65T/M, artic trailers, tractor units and 4x4s.

Our friendly professional drivers will connect the fuel tanks and provide a demonstration to get you started.



HVO FUEL

Looking for an alternative to traditional diesel? Ask our team about HVO fuel.

HVO (Hydrotreated Vegetable Oil), is a fossil-free, paraffinic fuel made from 100% renewable raw materials.

It is more sustainable, environmentally friendly than diesel and has a shelf life up to 10 years.



PUMP HIRE

Our extensive range of hire pumps help you remove water quickly and efficiently. Every project is unique, and our expert team is here to guide you in selecting the perfect pump tailored to your specific needs.

From highly portable trailer-mounted units to sound-attenuated canopy options for quieter operation, we provide equipment that fits seamlessly into your working environment. Our diesel-engine general-purpose pumps are dependable and available on both two and four wheel towable trailers for easy deployment.

For more specialised applications, we also supply submersible, sewage, high-head, and fire pumps—ensuring you have the right tool for the job, no matter the challenge.



Key Features



Expert advice



Pipe, hose and fittings



Specialised delivery



Installation



Fuel management



24/7 call out

General Purpose Pumps

Diesel-engine powered multi-purpose, reliable pumps mounted on either two or four wheeled tow trailers. Available as open, silent option and electric motor driven.

Size (inches)	Size (mm)	Description	Max Flow (m³/h)	Max Head (m)
3	75	SP80	90	24
4	100	SP100	136	28
4	100	SP100M	160	40
6	150	SP150	320	35
6	150	SP150M	400	40
8	200	SP200	400	49
12	300	SP300	1150	35
12	300	SP300M	1200	20
ELECTRIC PUMPS				
2	50	SPE50 4 kW	90	24
3	75	SPE75 2.2 kW	90	24
4	100	SPE80 4 kW	136	28
4	100	SPE100M 11 kW	136	28
6	150	SPE150 14 kW	160	40
6	150	SPE150 18 kW	160	40
6	150	SPE200 22 kW	160	40

*Information in this table is indicative only.

Applications:



CONSTRUCTION



UTILITIES



MINING & QUARRYING



SHIPPING & PORTS



OIL & GAS



AGRICULTURE

PUMP HIRE

Solids Handling Pumps

The Godwin CD range of pumps is housed in a Hush-Pac sound-attenuated canopy and can handle solids to 75 mm.

Size	Description	Max Flow (m³/h)	Max Head (m)	Solids handling (mm)	Dimensions L x W x H (mm)	Weight Dry (kg)
3"	CD80	96	36	45	1621 x 853 x 1333	630
4"	CD100M	230	38	45	1850 x 900 x 1450	1075
4"	CD100 Stage V	230	38	45	1850 x 900 x 1450	1075
6"	CD150	520	38	75	2450 x 940 x 1870	1450

*Information in this table is indicative only.

Sewage Pumps

Our sewage pumps are designed to efficiently move wastewater and sewage.

Size	Description	Supplied with
2" (50 mm)	Flygt Grinder	10 m cable
3" (75 mm)	Flygt CS 3085	10 m cable
4" (100 mm)	Flygt CS 3102 3140	10 m cable
4" (100 mm)	Flygt CS 3127 HT	10 m cable
4" (100 mm)	Flygt CS 3152 HT	10 m cable
6" (150 mm)	Flygt CS 3127 MT	10 m cable
6" (150 mm)	Flygt CS 3151 3152	10 m cable
6" (150 mm)	Flygt CS 3170	10 m cable
6" (150 mm)	Flygt CS 3300 HT	10 m cable
6" (150 mm)	Pumpex HT	10 m cable
8" (200 mm)	Flygt CS 3127 LT	10 m cable
8" (200 mm)	Flygt CS 3200 3201	10 m cable
8" (200 mm)	Flygt 3300 LT	10 m cable
8" (200 mm)	Flygt CS 3300 MT	10 m cable
24" (600 mm)	Flygt Mixers	10 m cable

*Information in this table is indicative only.



High-Head Pumps

High-head pumps offer excellent performance with solids handling capability and hard-wearing materials. High-head pumps are essential in various industries for their ability to move fluids over significant vertical distances or to high pressures.

Size	Description	Max Flow (m³/h)	Max Head (m)
3" (75 mm)	HL80 non acoustic	90	90
3" (75 mm)	HH80 acoustic	120	89
4" (100 mm)	HL100 non acoustic	180	110
6" x 4"	HH100 non acoustic	325	85
6" x 4"	HL125 non acoustic	198	140
6" x 6"	DSM125-4 ultra	430	160
6" x 6"	HL150 non acoustic	500	93
6" x 6"	SH150 hard iron	540	94
8" x 6"	HL150TS2 non acoustic	665	140
8" x 6"	HL200TS2 ultra	870	98

*Information in this table is indicative only.

Fire Pumps

We offer a wide range of fire fighting pumps with flexible hire options. Available immediately on a 24-hour call-out basis, as a standby for your existing fire protection system or on a long-term rental contract.

Size	Description	Max Flow (m³/h)	Max Head (m)
3" (75 mm)	High-head fire pump	420	50
4" (100 mm)	High-head fire pump	504	90
6" (150 mm)	Fire pump	183	65
6" (150 mm)	Electric fire pump	146	132
8" (200 mm)	Fire pump	330	90
10" (250 mm)	Fire pump	540	70

*Information in this table is indicative only.



PUMP HIRE

Electric Submersible Pumps

Electric submersible pumps from Tsurumi and Flygt. Ideal for quarrying and mining applications.

Size	Description	Supplied with	Phase
2" (50 mm)	Flygt B2050	15 m cable	Single
2" (50 mm)	Tsurumi LB750	15 m cable	3
2" (50 mm)	Flygt 2052	15 m cable	3
3" (75 mm)	Flygt B2066	20 m cable	3
3" (75 mm)	Flygt B2102 HT	20 m cable	3
4" (100 mm)	Flygt B2102 LT/MT	20 m cable	3
4" (100 mm)	Flygt B2125 HT	20 m cable	3
4" (100 mm)	Flygt B2201 HT	20 m cable	3
6" (150 mm)	Flygt 2125	20 m cable	3
6" (150 mm)	Flygt 2151	20 m cable	3
6" (150 mm)	Flygt 2201 MT	20 m cable	3
6" (150 mm)	Tsurumi LH675	20 m cable	3
8" (250 mm)	Flygt B2250	20 m cable	3

*Information in this table is indicative only.

Starter Panels

Model	Description
DOL37i-415	37 kW Direct on line starter
DOL22i-415	22 kW Direct on line starter
SDS55i-415	55 kW Star delta starter
SDS55-415	55 kW Star delta starter
PSR72i-230	37 kW ABB soft starter
PSR45i-230	22 kW ABB soft starter

*Information in this table is indicative only.



PUMP HOSE & ACCESSORIES

Hose and Fittings

Layflat, poly pipe and wire-armoured hose & fittings to hire alongside your pump.

Size	Description	Lengths (m)
2" (50 mm) to 8" (200 mm)	Wire-armoured suction and delivery hose	3, 6
2" (152 mm)	Agriflex type heavy duty PVC hose	6, 20
2" (50 mm) to 6" (152 mm)	Medium duty PVC hose suction	3, 6
2" (50 mm) to 8" (200 mm)	Plain end PVC suction hose	9, 30
2" (50 mm) to 12" (250 mm)	Polyethylene (PE) poly pipe - discharge hose	3, 6
2" (50 mm) to 8" (200 mm)	Layflat discharge hose	25, 50, 100
2.5" (63 mm)	Duraline fire hose	20
2" (50 mm) to 8" (152 mm)	Bauer couplings, threaded BSP, flange, M/F/complete sets, 90° bend, hose tail, reducer, enlarger, o'rings, large bore coupling, end cap, Y-Union, strainers, bend clamps, worm drive clamps, steel spiral PVC bend clamp	N/A
1" (32 mm)	MDPE pipe, compressor adaptor, compression elbow, valve & clamps	N/A
6" (152 mm)	Slurry tanks fittings, Bauer MZ flange, flange adaptor, valves & gaskets	N/A

*Information in this table is indicative only.

Separators

Our separators are designed to meet on-site demands, providing an effective and reliable temporary oil and water separation solution. Each system combines multiple separation processes within a single, fully-contained unit, making installation and operation straightforward.

At its core, the oil/water separator operates through four distinct stages of separation, working together to efficiently remove contaminants and deliver consistent performance across a wide range of site conditions.



CONSTRUCTION



Stuart Power has been delivering temporary power, lighting and pumping solutions to the construction industry for more than 40 years.

From the High Speed 2 trainline to Sizewell C, house builders and civil engineering, we're proud that our generator, pump and lighting tower hire has supported projects that shape the UK!

We specialise in creating rental packages tailored to your project. With our expert team, you'll get support including site surveys, design, installation, distribution, commissioning, fuel management and remote monitoring.



Generator Hire

- ✓ Temporary power until mains is connected
- ✓ Road tow units for mobility on-site
- ✓ Secure, lockable units
- ✓ Power heavy machinery, cranes etc



Pump Hire

- ✓ Remove surface water
- ✓ Emergency flood response
- ✓ Dewatering systems
- ✓ Burst pipe recovery
- ✓ Firefighting pumps on standby



Lighting Tower Hire

- ✓ Enhances visibility
- ✓ Improves site safety
- ✓ Night works
- ✓ Supplied on trailers for mobility around site
- ✓ Lighting without mains power connection



Battery Energy Storage

- ✓ Silent operation ideal for residential areas
- ✓ Reduced emissions meet sustainability targets
- ✓ Powers tools, equipment and welfare units

Other hire items:

Transformers
Fuel tanks
Distribution boards
Cables
Hose and fittings

Accreditations:

veriforce
CHAS



CONCOM
CONTRACTOR COMPETENCY



FORS
FLEET OPERATOR
ID:003445

EVENTS



From a small private event, to the biggest festivals, we have the expertise and equipment to make sure your event's power supply runs without a hitch.

With over 40 years' experience, our fleet of generators, up to 2,000 kVA, is meticulously maintained and comes with all necessary cabling and distribution.

We've powered sporting, music and trade events from Wembley to Murrayfield. Plus, we provide lighting towers so the party can continue into the night!



Event Power Package Hire

- ✓ Power your sound, light and food trucks
- ✓ Mounted on trailers for mobility around site
- ✓ Supplied with cables and distribution boards



Services

- ✓ Site survey
- ✓ Remote monitoring
- ✓ Dedicated logistics fleet deliver to remote/awkward locations
- ✓ Installation



Lighting Tower Hire

- ✓ Improves site safety and security
- ✓ Lighting remote areas with no mains supply
- ✓ Light camp sites and car parks



Fuel Tanks

- ✓ Extra fuel tanks coupled with our fuel management ensures continuous power supply
- ✓ Bunded fuel tanks offer environmental protection

Other hire items:

Battery energy storage systems
Transformers
Fuel tanks
Distribution boards
Cables

Accreditations:



UTILITIES

We support critical utility infrastructure across water, gas, electricity, renewables, and telecommunications. Our flexible hire solutions deliver reliable temporary power for planned maintenance, new installations, commissioning, repairs, and emergency breakdowns.

From your first enquiry, Stuart Power focuses on getting it right. We help you specify the most suitable equipment for your project, then back it up with responsive, hands-on support from our in-house team of experienced drivers, installers, and electricians so your power is delivered, installed, and managed with confidence.



Generator Hire

- ✓ Temporary power during works
- ✓ Remote monitoring
- ✓ Automatically power essential equipment during an outage
- ✓ Emergency power



Pump Hire

- ✓ Clean, wastewater and sewage applications
- ✓ Divert water flow
- ✓ Flood response
- ✓ Water treatment works repairs and maintenance



Lighting Tower Hire

- ✓ Improves site safety and security
- ✓ Longer working hours in winter months
- ✓ Supplied on trailers for mobility around site



Battery Energy Storage

- ✓ Backup power for critical infrastructure and data centres
- ✓ Reduced emissions
- ✓ Stores and redistributes excess energy

Other hire items:

Transformers
Fuel tanks
Distribution boards
Cables
Hose and fittings

Accreditations:



AGRICULTURE

At Stuart Power, we bring over 40 years of experience delivering dependable power to agriculture across rural and remote locations.

Our robust hire fleet of generators is built to handle harsh conditions, and with external fuel tanks available, you can count on continuous power even where refuelling access is limited. From irrigation systems and cold storage to on-site processing equipment, agricultural operations stay productive when grid power is unavailable.

We also supply a range of pumps, complete with fittings and hoses, giving you practical, ready-to-deploy solutions for day-to-day farm demands.

Accreditations:



WHY CHOOSE US?



Expert Advice

Not sure exactly what you need? Our dedicated team is here to offer expert advice and help you choose the perfect products for your needs



Emergency Support

A fully qualified team of service technicians and engineers is available 24/7/365



Large Stockholding

We have invested heavily in our range and volume of stock to ensure the right product is available when you need it



In-house Logistics

Our transport fleet equipped with cranes and 4x4 vehicles is ready to deliver anywhere. Plus, we're proudly ADR compliant and FORS Silver accredited



Fuel Management

We monitor your generator's fuel consumption and arrange timely refuelling to keep everything running smoothly



Sustainable Solutions

Our advanced fleet of low-emission generators and hybrid power solutions helps you reduce your carbon footprint without compromising on performance



● NORTH WEST DEPOT
Stuart House, Haydock Lane
Haydock Industrial Estate, Haydock
WA11 9UH
T: 01744 419100

● NORTH EAST DEPOT
Middleplatt Road
Immingham
DN40 1AH
T: 01469 551230

● WEST MIDLANDS DEPOT
Diglis Trading Estate
Navigation Road, Worcester
WR5 3DE
T: 01905 964499

● EAST ANGLIA DEPOT AND HQ
Stuart House, Hargham Road
Shropham
NR17 1DT
T: 01953 454540